



COVID-19 Weekly Surveillance Report

Table of contents

Summary for the week 07 August to 13 August 2023 (inclusive)	2
Case data	3
Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to 13 August 2023.	3
Figure 2. COVID-19 cases by age group and sex, Western Australia, 07 August to 13 August 2023.	4
Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 13 August 2023.	5
Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction, 01 December 2021 to 08 August 2023.	6
Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 13 August 2023.	6
Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 13 August 2023.	7
Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia.	8
Figure 6 (a). Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Western Australia, 07 August to 13 August 2023.	9
(b) Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Perth metropolitan area, 07 August to 13 August 2023.	9
Aboriginal case summary	10
Figure 7. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notification week, Western Australia, 09 October 2022 to 13 August 2023.	10
Hospitalisations, intensive care unit (ICU) inpatients and deaths	11
Figure 8. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 13 August 2023.	11
Table 3. Number of COVID-19 related deaths by sex and age group, 07 August to 13 August 2023 and 01 January 2022 to 13 August 2023.	12
Testing data	13
Figure 9. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category and week of specimen collection, 09 February 2020 to 13 August 2023.	13

Summary for the week 07 August to 13 August 2023 (inclusive)

In the week of 07 August to 13 August 2023 there were:

- 724 COVID-19 cases reported
 - 135 diagnosed by polymerase chain reaction (PCR) tests
 - 589 diagnosed by rapid antigen tests (RAT)
- 307 were reinfections (see definition in Table 2)
- 12 new hospital admissions and 1 new admission into an intensive care unit
- 10 deaths, aged 60 - 81 years old
- 4,927 COVID-19 PCR tests conducted

Surveillance summary

This week, **case numbers** increased by 40% compared to the previous week. Cases diagnosed by PCR decreased by 8% and by RAT increased by 58%. **Reinfections** comprised 42% of total cases this week, compared with 35% last week.

The number of **PCR tests** conducted increased by 6% compared to the previous week, with a 7-day average positivity rate of 3.2%.

The moving seven-day average **case rate** per 100,000 population increased in most regions except the Midwest and Pilbara regions, which remained steady, and the Goldfields and Great Southern regions, which decreased. The seven-day average case rate for the Perth metropolitan area (4 cases/100,000 population) is slightly higher than the non-metropolitan regions combined (3 case/100,000 population).

The seven-day average **age-specific rate** increased in all age groups, except the 0 – 9 years age group, which remained steady. The highest rates were in the 70+ age group (5 cases/100,000 population), and the lowest rates in the 0 - 9 years age group (2 cases/100,000 population).

The 7-day average of **hospitalised cases** decreased by 5% from 62 last week to 59 this week, and **intensive care unit cases** remained the same at 2 this week. **New hospital admissions** related to COVID-19 remained the same at 12 this week, and **direct intensive care unit admissions** increased from 0 last week to 1 this week.


Deaths remained the same this week compared to last week with 10 deaths reported.

This week, 22 cases were reported in the **Aboriginal population**, a slight increase compared to last week. Case rates in the Aboriginal population are lower than the non-Aboriginal population, with a 7-day average rate ratio of 0.8 this reporting week. There were no deaths reported in the Aboriginal population this week.

Nationally, the moving seven-day average case rates remained mostly steady in all jurisdictions. Tasmania and the Australian Capital Territory reported the highest rates (5 cases/100,000 population) and Victoria the lowest rate (1 cases/100,000 population). The rate in Western Australia was 4 cases/100,000 population.


Case data

Figure 1. COVID-19 cases by notification week and test type, Western Australia, 03 January 2022 to 13 August 2023.



Notes
 Data sourced from Western Australia Department of Health dataset
 Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases
 Notification week refers to data reported over the 7 days Monday to Sunday.

Figure 2. COVID-19 cases by age group and sex, Western Australia, 07 August to 13 August 2023.



Notes
 Data sourced from Western Australia Department of Health dataset
 Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases
 Higher case numbers in females relative to males, particularly in those aged 20-69 years, are likely due to increased propensity of women to seek and undertake testing, whether by RAT or PCR, rather than true differences in the incidence of infection
 Sex data is partially incomplete due to the unavailability of this variable during rapid antigen test registration, resulting in a discrepancy to total case numbers reported for the week.

- Males: n=288 (40.7%) Females: n=419 (59.3%)
- Median age = 45 years; range: 0 to 102 years


Table 1. COVID-19 reinfections, Western Australia, 02 March 2022 to 13 August 2023.

Month	Number of reinfections *
Mar-2022	14
Apr-2022	31
May-2022	122
Jun-2022	889
Jul-2022	5,099
Aug-2022	5,762
Sep-2022	4,065
Oct-2022	3,007
Nov-2022	7,159
Dec-2022	11,261
Jan-2023	5,530
Feb-2023	3,606
Mar-2023	5,043
Apr-2023	5,552
May-2023	7,533
June-2023	3,491
July-2023	1,334
August-2023^	479
Total	69,977

* Reinfection definition: between 2nd March 2022 and 8th July 2022, COVID-19 reinfections were defined as a positive COVID-19 test that occurred more than 12 weeks after an initial infection. From 9 July 2022 to 13 October 2022, COVID-19 reinfections were defined as a positive COVID-19 test occurring 28 days after previously recovering from the virus. From 14 October 2022 to date, COVID-19 reinfections are defined as a positive COVID-19 test occurring 35 days after the date of positive test for the most recent infection. Sourced from [Series of National Guidelines \(SoNG\)](#)

^ Data up to 13th August 2023 inclusive


Figure 3. 7-day moving average of COVID-19 cases per 100,000 population by Australian jurisdiction, 01 December 2021 to 08 August 2023.



Notes

Data sourced from the jurisdictional health department datasets
 Notification date refers to the date that a case is notified to the relevant jurisdictional health department
 Data is only available up to and including Tuesday of current report week for all jurisdictions except Western Australia
 From 01 July 2023, Victoria ceased reporting COVID-19 cases determined by Rapid Antigen Tests
 Population denominators are sourced from Australian Bureau of Statistics December 2020 estimates.


Figure 4. 7-day moving average of COVID-19 age-specific rates per 100,000 population, Western Australia, 06 February 2022 to 13 August 2023.



Notes

Data sourced from Western Australia Department of Health dataset
 Notification date refers to the date that a case is notified to Western Australia Department of Health
 Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases
 Population denominator sourced from Australian Bureau of Statistics June 2021 estimates.

Figure 5. 7-day moving average of COVID-19 case rates per 100,000 population by health region of residence, Western Australia, 06 February 2022 to 13 August 2023.




Notes
 Data sourced from Western Australia Department of Health dataset
 Notification date refers to the date that a case is notified to Western Australia Department of Health
 Western Australia Country Health Service (WACHS) region includes all non-metropolitan health regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West
 Perth metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service
 Population denominator sourced from Australian Bureau of Statistics 2020 estimates.

Table 2. Number of COVID-19 cases and rates per 100,000 population by reporting week and health region of residence, Western Australia.

Health Region		Current report week		Previous report week	
		Week 07 August to 13 August		Week 31 July to 06 August	
		Number	Rate [^]	Number	Rate [^]
Perth metropolitan region		628	29	463	22
WACHS Regions		94	18	51	10
	Goldfields	5	9	2	4
	Great Southern	4	7	5	8
	Kimberley	8	22	1	3
	Midwest	14	23	12	19
	Pilbara	2	3	5	8
	South West	39	21	23	13
	Wheatbelt	22	29	3	4
Other*		2	-	4	-
Total		724	27	518	19

Notes
 Data sourced from Western Australia Department of Health dataset
 Notification date refers to the date that a case is notified to Western Australia Department of Health
 Western Australia Country Health Service (WACHS) region includes all the non-metropolitan regions: Central-Wheatbelt, Goldfields, Great Southern, Kimberley, Midwest, Pilbara and South West
 Perth Metropolitan region includes East Metropolitan Health Service, North Metropolitan Health Service and South Metropolitan Health Service
 * Other includes cases with overseas and interstate residential addresses, and cases without residential address information
 ^ Rate reported as cases per 100,000 population. The total rate excludes "Other" cases, as there is no denominator population representing this group.
 Following the resumption of large passenger cruise vessels entering WA waters on 24th October 2022, the daily and weekly number of COVID-19 notifications may intermittently be distorted by inclusion of vessel outbreak cases in WA data, irrespective of the place of residence of the cases
 Population denominator is sourced from Australian Bureau of Statistics 2020 estimates.

Figure 6 (a). Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Western Australia, 07 August to 13 August 2023.
(b) Locally acquired COVID-19 weekly case rates per 100,000 population by Local Government Area, Perth metropolitan area, 07 August to 13 August 2023.




Notes

Data sourced from Western Australia Department of Health dataset
 Notification date refers to the date that a case is notified to Western Australia Department of Health
 Areas on the map are defined by Local Government Area (LGA) boundaries
 Cases are represented on the map according to their place of usual residence in an LGA (no information for specific location of acquisition)
 Population denominator is sourced from Australian Bureau of Statistics 2020 estimates.

Aboriginal case summary


Figure 7. COVID-19 case rates per 100,000 population and rate ratio by Aboriginal status and notification week, Western Australia, 09 October 2022 to 13 August 2023.



Notes
 Data sourced from Western Australia Department of Health dataset
 Notification week refers to data reported over the 7 days Monday to Sunday
 Aboriginal status is defined as those who identify as 'Aboriginal and Torres Strait Islander (TSI) origin'/'Aboriginal but not TSI origin'/'TSI but not Aboriginal origin'
 Cases where Aboriginal status was not stated were designated as non-Aboriginal
 Population denominator data were sourced from Australian Bureau of Statistics 2020 estimates
 Rate ratio is calculated by dividing the Aboriginal rate by the non-Aboriginal rate, with a 7-day average of the respective rate ratios applied to smooth the trend

Hospitalisations, intensive care unit (ICU) inpatients and deaths

Figure 8. 7-day average of COVID-19 cases currently in hospital or in ICU, 09 January 2022 to 13 August 2023.



Notes
 Data sourced from Western Australia Department of Health dataset
 Notification week refers to data reported over the 7 days Monday to Sunday
 'Hospitalised' relates to active and cleared COVID-19 cases that are current hospital inpatients. The reason for admission may be unrelated to COVID-19 for some people
 'Intensive care unit' (ICU) is a subset of hospitalised and relates to active/cleared COVID-19 cases that are currently in an ICU
 The definition of COVID-19 related hospitalisation was updated on 21 October 2022 to exclude cases where more than 60 days have passed since their positive COVID-19 test. This new definition more accurately captures cases in whom COVID-19 may have contributed to their reason for ongoing hospitalisation. Data reported after 21 October cannot be compared directly to data recorded prior to that date.

Table 3. Number of COVID-19 related deaths by sex and age group, 07 August to 13 August 2023 and 01 January 2022 to 13 August 2023.

	Current report week Week 07 August – 13 August 2023	Year 2022 to date 1 Jan 2022 – 13 August 2023
Sex	Deaths (n= 10)	Deaths (n= 1,201)
Female	4 (40.0%)	584 (48.6%)
Male	6 (60.0%)	617 (51.4%)
Unspecified	0 (0%)	0 (0%)
Age group (years)		
0-9	0 (0%)	0 (0%)
10-19	0 (0%)	2 (0.2%)
20-29	0 (0%)	1 (0.1%)
30-39	0 (0%)	8 (0.7%)
40-49	0 (0%)	13 (1.1%)
50-59	0 (0%)	35 (2.9%)
60-69	5 (50.0%)	82 (6.8%)
70-79	3 (30.0%)	225 (18.7%)
80-89	2 (20.0%)	454 (37.8%)
90+	0 (0%)	381 (31.7%)

Notes


Data sourced from Western Australia Department of Health dataset

Deaths are counted by notification date and may include historical deaths that occurred (i.e. date of death) prior to the current report week

Deaths are not necessarily associated with hospital and/or ICU admissions

Testing data

Figure 9. Number of COVID-19 polymerase chain reaction tests and positivity by laboratory category and week of specimen collection, 09 February 2020 to 13 August 2023.



Notes

Data sourced from Western Australian public and private pathology laboratories

Specimen collect week refers to specimens collected between Monday to Sunday

Number of tests includes both positive and negative tests

From 01 October 2022, testing at private pathology providers requires a referral from a GP

From 03 March 2023, Murdoch COVID-19 public PCR testing clinic closed. From this time forward public access to COVID-19 PCR testing is only via GP referral to private pathology providers.

This document can be made available in alternative formats on request for a person with disability.

© Department of Health 2023

Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the *Copyright Act 1968*, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.

health.wa.gov.au